

LSU Health Science Center

LSU Health Digital Scholar

Medical Research Day

2022 Medical Research Day Posters

Oct 13th, 12:00 AM

Differences in accessibility to program directors indicates a potential greater burden upon female program directors

Tram Ngo

LSU Health Sciences Center- New Orleans

Kaylin Beiter

LSU Health Sciences Center- New Orleans, kbeite@lsuhsc.edu

Erich Conrad

LSU Health Sciences Center- New Orleans, EConra@lsuhsc.edu

Erika Rajo

LSU Health Sciences Center- New Orleans, erajo@lsuhsc.edu

Follow this and additional works at: <https://digitalscholar.lsuhscc.edu/sommrd>



Part of the [Psychiatry Commons](#)

Recommended Citation

Ngo, Tram; Beiter, Kaylin; Conrad, Erich; and Rajo, Erika, "Differences in accessibility to program directors indicates a potential greater burden upon female program directors" (2022). *Medical Research Day*. 63. <https://digitalscholar.lsuhscc.edu/sommrd/2022MRD/Posters/63>

This Event is brought to you for free and open access by the School of Medicine at LSU Health Digital Scholar. It has been accepted for inclusion in Medical Research Day by an authorized administrator of LSU Health Digital Scholar. For more information, please contact aolini@lsuhsc.edu.

DIFFERENCES IN ACCESSIBILITY TO PROGRAM DIRECTORS INDICATES A POTENTIAL GREATER BURDEN UPON FEMALE PROGRAM DIRECTORS

¹ Tram Ngo BA; ¹ Kaylin Beiter PhD; ² Erich Conrad MD; ³ Erika Rajo PsyD

¹ LSUHSC School of Medicine - New Orleans, ² LSUHSC Department of Psychiatry, ³ LSUHSC Department of Psychology

Background & Objective

The COVID-19 pandemic and subsequent limitations on in-person interviews and away rotations have necessitated residency program directors and prospective applicants alike to rely disproportionately upon electronic means of communication relative to years past. Program directors (PDs) play a key role in providing information about their program to applicants; however it is unknown how accessible PDs are to prospective applicants. The objective of this study was to explore differences in accessibility to PDs via their use of individual, general (programmatic), or administrative-assistant email addresses in the FREIDA database.

Methods

The FRIEDA database was queried for all US-based internal medicine programs. Information was recorded for the listed PD and administrative assistant. The email address for each respective individual was classified as either an individual PD's email address (dr.jane.doe@hospital.edu); a general program address (medicine@hospital.edu); or the administrative assistant's email address (assistant.john.smith@hospital.edu). Program-specific websites were also used to identify the public-presenting gender of PDs according to the PD's chosen photo.

Results

A total of 560 IM programs were included in this study. PDs were majority male-presenting (n=365, 65.7%) versus female-presenting (n=192, 34.3%). Male PD's were less likely to provide their individual email address (n=183, 49.7%) and more likely to list the administrative assistant's email instead (n=114, 31.0%) relative to female PDs (individual: n=113, 58.9%; administrative: n=36, 18.8%) (Chi-square, p=0.0081). PDs did not differ in their reliance upon general programmatic email addresses (male: n=71, 19.3%; female: n=43, 22.4%).




Figure 1: Of the 365 male PDs included in this data, 49.7% (183) provided their individual email address. Of the 192 female PDs, 58.9% (113) provided their individual email address.

Conclusion

Female PDs are more accessible to residency applicants who use the FRIEDA database. While this may be a benefit for trainees due to increased availability of the PD to them, it also indicates a potential greater administrative burden upon female PDs relative to their male counterparts. As programs continue to receive increasing numbers of applications, a standardized approach should be considered in order to alleviate these gendered differences. Moreover, standardization should be accomplished to ensure that residency applicants may engage consistently with all programs of interest and to facilitate a successful, equitable match.

Discussion

To expand upon our study, we are looking to also include resident class size and geographic region for each internal medicine program, to see if PDs are more likely to put their own email address if they have a smaller class size or are in a less competitive region of the country. Another direction we are also interested in exploring, is collecting the same data for all US based surgery programs to investigate if similar results are seen in other types of residency programs as well.